



[BHS1.com](http://BHS1.com)

## *Warehouse Equipment Shipping & Receiving*



Streamline order fulfillment processes by using ergonomic equipment designed for the task. BHS shipping and receiving equipment aids in order picking, packing, shipping and unloading. Sturdy packing desks and reliable order picking carts can optimize the order fulfillment process for many industries such as retail distribution and other industrial or commercial applications.

## ORDER PICKING CART

BHS Order Picking Carts (OPC) are ideal for processing orders and moving merchandise. The OPC is equipped with fork pockets to accept transport by lift truck, while casters allow the unit to be positioned manually. Lipped shelving helps contain merchandise while the open style frame permits visibility of contents from all sides. Whether unloading packages, counting inventory, stocking shelves, gathering parts, or picking merchandise for order filling, the OPC is designed to help get the job done efficiently.

### FEATURES & BENEFITS

- Heavy-duty steel construction for added reliability
- Four shelves for product placement are standard
- Two rigid and two swivel casters
- Side and rear edges on shelves contain contents during transport
- Durable powder coat finish resists both corrosion and scratches
- 17.875" (454 mm) height between shelves
- Custom-built models also available to meet unique specifications

### OPTIONS

#### Poly Casters (OPC-POLY-36/42)

Poly caster option for 60" width carts only

### MODELS & SPECIFICATIONS

Model	Overall Depth	Overall Width	Overall Height	Load Capacity	Casters	Unit Weight
<b>OPC3648</b>	36" / 914 mm	48" / 1219 mm	72.1875" / 1834 mm	1,850 lb / 839 kg	Poly	486 lb / 220 kg
<b>OPC3660</b>	36" / 914 mm	60" / 1524 mm	72.1875" / 1834 mm	3,000 lb / 1361 kg	Phenolic	515 lb / 234 kg
<b>OPC4248</b>	42" / 1067 mm	48" / 1219 mm	72.1875" / 1834 mm	1,850 lb / 839 kg	Poly	533 lb / 242 kg
<b>OPC4260</b>	42" / 1067 mm	60" / 1524 mm	72.1875" / 1834 mm	3,000 lb / 1361 kg	Phenolic	588 lb / 266 kg



OPC3660

## SHIPPING/RECEIVING DESK

The Shipping/Receiving Desk (SRD) is a fully adjustable packing station, available in flush or left- or right-hand oriented models with a variety of modular features for optimized ergonomic use. The SRD improves access to essential order-filling supplies, such as barcode scanners, shipping labels, and computer monitor. By matching the specifications of a packing desk to the workforce, facility managers can realize powerful ergonomic benefits, with associated productivity increases.

### FEATURES & BENEFITS

- 1/4" (6 mm) thick formed steel frame and 12GA formed steel shelves provide a rigid, high capacity desk
- One fixed lower shelf (500 lb / 227 kg capacity), one fixed counter top (500 lb / 227 kg capacity) and two adjustable shelves (350 lb / 159 kg capacity)
- Shelves are vertically adjustable in 3" (76 mm) increments and dividers are horizontally adjustable in 2" (51 mm) increments
- Counter cut-outs available on left or right to accommodate operator's handing and are outlined in heavy-duty vinyl edging to eliminate sharp edges
- Drop-in scale tray is equipped with 1.5" (38 mm) diameter rubber grommet (not included on model SRD-FH)
- Durable powder coat finish with stainless steel counter top
- Detachable monitor mount and keyboard tray can be mounted on either left or right with multiple vertical adjustment points
- Arms feature two lateral pivot points and tilt function to ergonomically position a screen and keyboard (28" / 711 mm full extension)
- 48" (1219 mm) fluorescent light fixture with rapid-start ballast, T8 bulb, removable lens, and 10' (3.05 m) cord
- Custom lasered logo can be added to the exterior shelf plates
- Detachable, steel supply caddy with multiple compartments for basic office supplies mounts to either the left or right hand side of the platform top with included hardware (36" L x 3.5" W x 4.75" H / 914 mm x 89 mm x 121 mm)
- Detachable, steel scanner gun caddy fits most scanners and mounts to either left or right hand side on either the front or side of desk with included hardware (3.875" L x 3.5" W x 4.75" H / 98 mm x 89 mm x 121 mm)
- Paper Roll Bar is designed to hold a 24" (610 mm) paper roll, this right- or left-handed assembly, formed-steel bar mounts at any position on the vertical frame with included hardware (25" L x 1" W / 635 mm x 25 mm)
- Label Roll Bar is an adjustable formed-steel bar that holds rolls of labels or paper, mounts to center of upper shelves with 2" (51 mm) lateral adjustment points included hardware (28.5" L x 0.75" W / 724 mm x 19 mm)
- Power Module mounts to rear of platform top and includes 8 receptacles, 15 A 120 V AC NEMA 5-15P plug, aluminum housing, and resettable circuit breakers for overload protection (48" L x 3.5" W x 2" H / 1219 mm x 89 mm x 51 mm)



SRD-LH

### MODELS & SPECIFICATIONS

Model	Description	Overall Width	Overall Depth	Overall Height	Capacity	Shipping Weight
SRD-LH	Left-hand orientation; left cut-out	72" / 1829 mm	44" / 1118 mm	108" / 2743 mm	3,500 lb / 1588 kg	790 lb / 358 kg
SRD-RH	Right-hand orientation; right cut-out	72" / 1829 mm	44" / 1118 mm	108" / 2743 mm	3,500 lb / 1588 kg	790 lb / 358 kg
SRD-FH	Flush counter top; no cut-out	72" / 1829 mm	44" / 1118 mm	108" / 2743 mm	3,500 lb / 1588 kg	790 lb / 358 kg

